

WPF-HD

REINFORCED LOG GRAPPLE



The **WPF-HD grapple** is ideal for **handling** and **loading: timber, twigs, processing waste and for feeding chippers.**

It has been studied with the particularity of being able to be used with a blade or with open tips. This is thanks to the use of the **interchangeable tooth.**

Its reinforced structure built with high-strength steels, the double frame, the oversized cylinder equipped with a block valve, makes it suitable for particularly intensive and heavy-duty uses.

The combination with the **Supersaw® chainsaw** by Hultdins transforms a normal grapple into a useful tool for **felling** and **cutting** very precisely, logs and shrubs. Thus, it becomes a versatile, robust and reliable grapple useful in any forestry environment.




- Available in two models for excavators from 8 to 18 tons
- Interchangeable tooth

Optional:













- Available with different hydraulic rotation models (see page 10)
- SuperSaw 350 10-19cc chainsaw kit
- Centering support
- Delimiting kit



Example of Reinforced Forestry Grapple with application of Chainsaw Kit and Rigid Rotation



OPTIONAL

	ROTATOR GV
	ROTATOR GV 6 WAYS
	ROTATOR GR
	RIGID ROTATION 1 MOTOR
	RIGID ROTATION 2 MOTORS
	DOUBLE JOINT FORK ATTACHMENT
	FALCONET ATTACK
	SUPERSAW 350-10cc
	SUPERSAW 350-19cc
	CENTERING SUPPORT
	DELIMITING KIT
	DIVERTER SOLENOID VALVE BLOCK



MODEL		WPF10HD	WPF15HD
Excavator	ton	8 - 18	12 - 18
Basic equipment weight	kg	250	565
A	mm	1600	2060
D	mm	440	550
E	mm	585	760
F	ton	65	110
H	mm	990	1250
S	m ²	0,26	0,48
Oil flow	l/min	50	50
Work pressure	bar	200	250
OPTIONAL			
• Rotator GV			
Weight	kg	60	65
• Rotator GV 6 ways			
Weight	kg	59	79
• Rotator GR			
Weight	kg	35	/
• Rigid Rotation 1 Motor			
Weight	kg	90	/
• Rigid Rotation 2 Motors			
Weight	kg	110	150
• Double joint fork attachment			
Weight	kg	on demand	on demand
• Falconet attack			
Weight	kg	on demand	on demand
• Supersaw 350-10cc			
Weight	kg	95	95
• Supersaw 350-19cc			
Weight	kg	100	100
• Centering support			
Weight	kg	8	on demand
• Delimiting kit			
Weight	kg	15	17
• Diverter solenoid valve block			
Weight	kg	1,5	1,5





#FollowTheFox



WREKO
ADVANCED SOLUTION TOOLS

 **WREKO s.r.l.**
Via Rovigo, 21
35042 Este (PD)

 +39 0429 176 07 94 

 info@wreko.com

www.wreko.com