

WTC




FORESTRY SHEAR GRAPPLE 250/300

WREKO ®
FORESTRY INNOVATION

WTC

FORESTRY SHEAR GRAPPLE 250/300



MODEL		WTC250	WTC300
Excavator	ton	3,5 - 10	8 - 20
Weight	kg	350	530
A	mm	800	1085
B	mm	880	1120
C	mm	380	560
D	mm	680	800
E	mm	520	625
Cutting diameter	cm	25	30
Oil Flow	l/min	40	60
Work pressure	bar	300	300

The indicated weights are to be considered approximate and refer to the equipment in its standard fixed configuration.


The WTC series compact **Forestry Shear Grapple** is designed to deliver excellent efficiency in a compact size. Available in two models, suitable for excavators from 2.8 to 20 tons, it allows cutting trees with diameters up to 25 cm and 30 cm, making it the ideal tool **for felling and handling trees** in a simple and efficient way. Designed for **operations along roadsides, railways, power lines, parks, agricultural or residential areas**, it is a fast and easy-to-use attachment that ensures quick tree removal even in confined spaces.

The blade has been engineered to facilitate lateral positioning of the trunk, ensuring a cleaner and more precise cut. Additionally, its configuration allows for **ground-level cutting**, ideal for complete and clean tree removal.

The grapple securely holds the trunk, providing a stable grip to perform a precise cut at the desired point. The tree can then be easily lifted and transported. By removing the cutting blade, the shear quickly transforms into a grapple for timber handling, increasing the versatility of the attachment.

Manufactured entirely from **Hardox** steel, it guarantees durability and excellent performance even in the most demanding conditions. Available in a fixed version or with 360° hydraulic rotation.



 **WREKO s.r.l.**
Via Rovigo, 21
35042 Este (PD) - Italy

 wrekosrl@pec.it
P. IVA 05176050283

 +39 0429 1760794

 info@wreko.com

#FollowTheFox



www.wreko.com