

WTC




FORESTRY SHEAR GRAPPLE 500/600

WREKO ®
FORESTRY INNOVATION

WTC

FORESTRY SHEAR GRAPPLE 500/600



MODEL		WTC500	WTC600
Excavator	ton	20 - 30	23 - 40
Weight	kg	1700	2260
A	mm	1380	1520
B	mm	700	1100
C	mm	1670	1730
D	mm	1680	1840
E	mm	1427	1320
Ø	mm	450/500	550/600
Blade strength	ton	40	50
Opening/Closing - Oil Flow	l/min	100/160	100/200
Opening/Closing - Working pressure	bar	280	280

The indicated weights are to be considered approximate and refer to the equipment in its standard fixed configuration.


The **WTC500 and WTC600 Forestry Shears** represent the evolution of felling shears for professional use, where precision, control, and structural reliability are essential requirements. Their structure and design result from a complete redesign, developed through direct experience in forestry operations.

The key feature is the **innovative cutting system**, without the traditional support frame that limits penetration. This allows for a clean and continuous cut, without tearing or bark residues, promoting tree regeneration and enabling effective operation on real diameters exceeding 50-60 cm.

The structure, made from **ultra high-strength structural steels**, ensures rigidity, stability, and durability even in the most demanding working conditions. The **hydraulic tilt with up to 70° rotation** provides greater versatility, precision, and safety during felling operations.

These forestry shears are ideal for intensive work, professional forestry, and precision agroforestry applications—an advanced technical tool designed for long-term performance.



 **WREKO s.r.l.**
Via Rovigo, 21
35042 Este (PD) - Italy

 wrekosrl@pec.it
P. IVA 05176050283

 +39 0429 1760794

 info@wreko.com

#FollowTheFox



www.wreko.com